



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,806	04/15/2004	Shinichi Uchikawa	10000147US01	1569

34904 7590 02/23/2010
CANON U.S.A. INC. INTELLECTUAL PROPERTY DIVISION
15975 ALTON PARKWAY
IRVINE, CA 92618-3731

EXAMINER

SARPONG, AKWASI

ART UNIT	PAPER NUMBER
----------	--------------

2625

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

02/23/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

sivon.kalminov@cda.canon.com
marlene.klein@cda.canon.com
IPDocketing@cda.canon.com

Office Action Summary	Application No. 10/826,806	Applicant(s) UCHIKAWA, SHINICHI	
	Examiner AKWASI M. SARPONG	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12/11/2009.
- 2a) ☒ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6 and 8-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 8-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 April 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>08/22/2008, 04/14/2008, 09/02/2004 and 04/15/2004</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/11/2009 has been entered.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1-6 and 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsueda (2002/0186400) in view of Okada (6396952)

Claim 1, Matsueda discloses a printing apparatus (**Server 202 and printer 231 shown in Fig. 2**) that processes a print job (**Section 0028, Lines 1-10- print job**), the printing apparatus comprising:

a receiving unit configured to receive, (**Section 0048, lines 1-3- portion of printer 231 that receives the print job**) from an information processing system, (**Section 0047, lines 4-5- thus the print job is sent from client 201**) the print

Art Unit: 2625

job (**Section 0048 lines 1-3 thus the print job is received**) and a notification destination of information indicating completion of cancellation of the print job. (**Section 0053 clearly teaches that when there is a generation of event such as completion of deletion event, the reception unit 226 is notified and therefore it is clear that the destination notification was indicated to be the reception unit 226- please see NB**)

(NB: Section 0039, lines 3-5, if the reception unit 226 receives events updates such as completion of print job cancellation- then the printer has to receive a destination notification set to be the reception unit 226)

a request receiving unit (**Fig. 2 EI. 226 or deletion event reception**) configured to receive, from the information processing system (**Fig. 2, Client 201- the user uses client 201 to issue a cancellation command**) a request for canceling the print job received by the receiving unit (**Section 0053, Lines 1-12- thus the generated event by the client includes a job cancellation event or command to cancel a print job is sent to the deletion event reception 226**).

a determining unit (**deletion control unit-CPU 221-Section 0009**) configured to determine whether the print job specified in the request still exists in the printing apparatus in a case where the request is received by the request receiving unit. (**Section 0009, thus the deletion control unit makes the determination that the**

print job can be deleted and therefore understand that before a print job can be deleted, the print job has to exist in the print queue-please see NB)

(NB: Section 0059 lines 5-16- thus for a job to be deleted the print job has to be entered in the job management area 34 and a job event has to be generated and notified, therefore if the print job does not exist the system cannot see it not delete it).

a responding unit **(Fig. 2 El. 202, thus the 226 reception unit in the server sends a response of reception of the print job cancellation)** configured to transmit response information, indicating that the request has been received to the information processing system **(Section 0081, lines 11-15, Fig. 8 El 86, thus at this point the cancel command has been received or the request for job cancellation is received)** before cancellation of the print job specified in the request is completed in a case where the determining unit determines that the print job specified in the request still exists in the printing apparatus **(Section 0081, lines 11-15, Fig. 8 85- thus if the determining unit , determines that the print job is entered, a response status “entered” is send as a response to the client 201 before the job is deleted)**

and to transmit error information **(Section 0082 lines 11-15 “Unentered” shown in Fig. 5)** to the information processing system **(Client 201 shown in Fig. 2)** in a case where the determining unit **(CPU 221 shown in fig. 2)** determines that the print job specified in the request does not exist in the printing apparatus, **(Section 0065- if the job does not exist in the job management area 34, the status is unentered also**

Art Unit: 2625

see section 0082, lines 11-15) as a response to the request received by the request receiving unit **(the status is always revised in the management table 1202 and in 1201 which is in client 201- please section 0076)** and

a transmitting unit **(Fig. 2 El. 231 or printer 231- thus after the print job has been deleted a response in the form of a status is sent back to the client)** configured to transmit information, **(the information is send in the form of a status)** that the print job has been canceled to the information processing system, the print job has been canceled in accordance with the request received by the receiving unit, **(Section 0053 – when there is a job deletion event, the job manager 225 is notified and eventually updated in the management table 1201 which is inside client 201).**

Matsueda does not disclose wherein the notification destination received by the receiving unit is different from the information processing system to which the responding unit transmits the response information or the error information.

Okada discloses wherein the notification destination **(Col. 13 lines 25-27- thus the email address is the destination where the result will be sent)** received by the receiving unit **(printing machine receives the print data and the print data includes the notification email address and therefore portion of the printing machine receives the email address)** is different from the information processing system **(Net fax 14 shown in fig. 3)** to which the responding unit transmits the response

Art Unit: 2625

information or the error information (**Col. 6 lines 64-67- thus if there is a transmission error the response is sent to the email address indicated in the notification E-mail address table shown in Fig. 19**) . Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Matsueda's receiving unit by the teaching of Okada to be able to receive notification destination which is different from the information processing system to which the responding unit transmits the response information or the error information so that user in different locations can also be alert of the reponse of the job request. The motivation for this modification is that it will enable users in different destinations to see the result of the print request.

Claim 2, Matsueda in view of Okada discloses printing apparatus further comprising:

a retrieving unit (**Matsueda: Fig. 2 El. 224- thus the communication unit 240 acquires the print job specified to be deleted**) configured to retrieve the print job corresponding to a job identifier specified in the request has been submitted in accordance with the request for canceling the print job received by the request receiving unit, (**Matsueda: Section 0090, Fig. 7 El. S74, thus the system ID of the print job represents the print job and therefore when the system ID is acquired then the print job is also acquired or retrieved**) wherein the responding unit transmits either response information to the information processing system if the corresponding print job is retrieved by the retrieving unit, (**Matsueda: Section 0081, lines 9-15- thus if it is determined that the print job exists in the job management area then a message in**

Art Unit: 2625

the form of a status as “already entered” is sent to the user in the form of a table as clearly shown in Fig. 5) or the error response information to the information processing system if the corresponding print job is not retrieved by the retrieving unit (Matsueda: Section 0082, lines 1-7, Fig. 8, El. S89, when the status or the message sent out is unentered that means that the print job does not exist and therefore sending the response or message “unentered” means or the same as sending an error message to the user).

Claim 3, Matsueda in view of Okada discloses a printing apparatus which further comprises:

an acquiring unit **(Matsueda: Fig. 2 El. 227- thus the job listing unit acquires the print job system ID) configured to acquire second identification (Matsueda: Section 0066-System ID identifies a print job which is under consideration as clearly shown in Fig. 5) information of the print job corresponding to first identification information (Matsueda: Fig. 5-Job handle is also another identification which corresponds to a specific print job such as 0x00000000) specified in the request received by the receiving unit, the second identification information being associated with the print job in order for the printing apparatus to manage the print job (Matsueda: Section 0062, Fig. 5, thus a specified job handle ID and system ID corresponds a particular print job as it is clearly shown in fig. 5 hence 0x00000001 and 0xc9000001 corresponds to one particular print job); and a canceling unit for**

Art Unit: 2625

canceling the print job based on the second identification information acquired by the acquiring unit (**Matsueda: Section 0063 and 0064-thus when the print job's status is set as "being deleted" that means that the specified print job is actually been deleted from the print system).**

Claim 4, Matsueda in view of Okada discloses a printing apparatus, which further comprises:

a request receiving unit (**Matsueda: Fig. 2 El. 226- thus the job cancellation request is received by event reception unit 226 in Fig. 2)** configured to receive a request for the print job from the information processing system (**Matsueda: Sections 0053-thus the events received can include a request for a job cancellation)**

an identification-information transmitting unit (**Matsueda: Fig. 2 El.12-1)** configured to transmit the first identification information (**Matsueda: Job handle ID**) corresponding to the print job to the information processing system in accordance with the request received by the request receiving unit; (**Matsueda: Section 0049-0051- thus the job handle ID corresponds to a print job in which a cancellation has be issued).** and

a print-data receiving unit (**Matsueda: Fig. 2 El. 226)** configured to receive print data corresponding to the print job from the information processing system after the first identification information has been transmitted by the identification-information transmitting unit (**Matsueda: Section 0050 and 0051-thus the job listing unit stores the print jobs which has be transmitted from Client 201).**

Claim 5, Matsueda in view of Okada discloses a printing apparatus wherein the transmitting unit transmits the information that the print job has been canceled to the information processing system after the print job has been canceled by the canceling unit **(Matsueda: Sections 0045 and 0046- thus the server communication unit transmits both the print job and the handle and system ID to the server where the print job is deleted or cancelled).**

Claim 6, Matsueda discloses a method of canceling a print job in a printing apparatus the method comprising:

receiving, from information processing system, the print job **(Section 0028, Lines 1-10- thus the print job created forms the print queue)** and a notification destination of information indicating completion of cancellation of the print job. **(Section 0053 clearly teaches that when there is a generation of event such as completion of deletion event, the reception unit 226 is notified and therefore it is clear that the destination notification was indicated to be the reception unit 226- please see NB)**

(NB: Section 0039, lines 3-5, if the reception unit 226 receives events updates such as completion of print job cancellation- then the printer has to receive a destination notification set to be the reception unit 226)

receiving from the information processing system, **(Fig. 1 El. 11 or user application)** a request for canceling the print job received by the printing apparatus; **(Section 0053, Lines 1-12- thus the generated events by the user application includes a job cancellation event or command to cancel a print job)**

determining whether the print job specified in the received request still exists in the printing apparatus, **(Section 0009, thus the deletion control unit makes the determination that the print job can be deleted and therefore understand that before a print job can be deleted, the print job has to exist in the print queue- please see NB)**

(NB: Section 0059 lines 5-16- thus for a job to be deleted the print job has to be entered in the job management area 34 and a job event has to be generated and notified, therefore if the print job does not exist the system cannot see it not delete it)

transmitting response information indicating that the request has been received to the information processing system as a response to the request **(Section 0081, lines 11-15, Fig. 8 El 86, thus at this point the cancel command has been received or the request for job cancellation is received)** before cancellation of the print job specified in the request is completed in a case where it is determined that the print job specified in the request still exists in the printing apparatus **(Section 0065- if the job does not exist in the job management area 34, the status is unentered also see section 0082, lines 11-15)** and

NB: Understand that the response information is send in the form of a table notification as clearly shown in Fig. 5 and the status is always revised in the management table 1202 and in 1201 which is in client 201- please section 0076)
and

transmitting the information indicating that the received print job has been canceled to the received notification destination, after the print job has been canceled in accordance with the received request for canceling the print job. **(Section 0053 – when there is a job deletion event, the job manager 225 is notified and eventually updated in the management table 1201 which is inside client 201).**

Matsueda does not disclose wherein the notification destination received by the receiving unit is different from the information processing system to which the responding unit transmits the response information or the error information.

Okada discloses wherein the notification destination **(Col. 13 lines 25-27- thus the email address is the destination where the result will be sent)** received by the receiving unit **(printing machine receives the print data and the print data includes the notification email address and therefore portion of the printing machine receives the email address)** is different from the information processing system **(Net fax 14 shown in fig. 3)** to which the responding unit transmits the response information or the error information **(Col. 6 lines 64-67- thus if there is a transmission error the response is sent to the email address indicated in the notification E-mail**

Art Unit: 2625

address table shown in Fig. 19) . Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Matsueda's receiving unit by the teaching of Okada to be able to receive notification destination which is different from the information processing system to which the responding unit transmits the response information or the error information so that user in different locations can also be alert of the reponse of the job request. The motivation for this modification is that it will enable users in different destinations to see the result of the print request

Claim 7,- (Cancelled)

Claim 8, Matsueda in view of Okada discloses a method which, further comprising: of retrieving the print job for which the request for canceling the print job has been submitted in accordance with the request for canceling the print job
(Matsueda: Section 0081-thus when the print job is retrievable then the job exist which will show as entered).

wherein the response information is transmitted to the information processing system **(Matsueda: client 201 and server 202)** if the corresponding print job is retrieved **(Matsueda: Sections 0081-0082 thus if the print job exist then it can be deleted and the status is updated as "already entered" on the other hand if the print job does not exist then the status (information) is updated as unentered which means that there is an error).**

and the error response information is transmitted to the information processing system if the corresponding print job is not retrieved (**Matssueda: Section 0071 and 0072- thus the error message “Unentered” sent as the status because the print cannot be found in the print system**)

Claim 9, Matsueda in view of Okada discloses a canceling method, which further comprises:

acquiring second identification information (**Matsueda: system ID shown in Fig. 5 is a secondary identification corresponding to a specific print job**) of the print job corresponding to first identification information (**Matsueda: Job handle ID in Fig. 5**) specified in the request for canceling the print job, (**Matsueda: Section 0081-hence the user via the user application sends instruction to cancel a print job request**); the second identification information being associated with the print job in order for the printing apparatus to manage the print job and canceling the print job based on the acquired second identification information (**Matsueda: Section 0081- the system ID corresponds to a specific print job as it clearly shows in Fig. 5**).

Claim 10, (Cancelled)

Claim 11, Matsueda discloses a printing apparatus (**Fig. 1, the printing apparatus includes print client 12 (is both server 12-02 and computer 12-01) and printer 13**) that processes a print job (**Section 0028, Lines 1-10-thus the print job created forms the print queue**), the printing apparatus comprising:

a receiving unit configured to receive, **(Section 0048, lines 1-3- portion of printer 231 that receives the print job)** from an information processing system,**(Section 0046- thus the print job is sent from client 201)** the print job **(Section 0048 lines 1-3 thus the print job is received)** and a notification destination of information indicating completion of cancellation of the print job. **(Section 0053 clearly teaches that when there is a generation of event such as completion of deletion event, the reception unit 226 is notified and therefore it is clear that the destination notification was indicated to be the reception unit 226- please see NB)**

(NB: Section 0039, lines 3-5, if the reception unit 226 receives events updates such as completion of print job cancellation- then the printer has to receive a destination notification set to be the reception unit 226)

a request receiving unit **(Fig. 2 El. 226 or deletion event reception)** configured to receive, from the information processing system **(Fig. 2, Client 201- the user uses client 201 to issue a cancellation command)** a request for canceling the print job received by the receiving unit **(Section 0053, Lines 1-12- thus the generated event by the client includes a job cancellation event or command to cancel a print job is sent to the deletion event reception 226).**

a determining unit **(deletion control unit-CPU 221-Section 0009)** configured to determine whether the print job specified in the request still exists in the printing

Art Unit: 2625

apparatus in a case where the request is received by the request receiving unit.

(Section 0009, thus the deletion control unit makes the determination that the print job can be deleted and therefore understand that before a print job can be deleted, the print job has to exist in the print queue-please see NB)

(NB: Section 0059 lines 5-16- thus for a job to be deleted the print job has to be entered in the job management area 34 and a job event has to be generated and notified, therefore if the print job does not exist the system cannot see it not delete it)

a responding unit **(Fig. 2 El. 202, thus the 226 reception unit in the server sends a response of reception of the print job cancellation)** configured to transmit response information, indicating that the request has been received to the information processing system **(Section 0081, lines 11-15, Fig. 8 El 86, thus at this point the cancel command has been received or the request for job cancellation is received)** before cancellation of the print job specified in the request is completed in a case where the determining unit determines that the print job specified in the request still exists in the printing apparatus **(Section 0081, lines 11-15, Fig. 8 85- thus if the determining unit , determines that the print job is entered, a response status “entered” is send as a response to the client 201 before the job is deleted)**

and to transmit error information **(“Unentered” shown in Fig. 5)** to the information processing system **(Client 201 shown in Fig. 2)** in a case where the determining unit **(CPU 221 shown in fig. 2)** determines that the print job specified in the

Art Unit: 2625

request does not exist in the printing apparatus, **(Section 0071 and 0072- thus the error message “Unentered” sent as the status because the print cannot be found in the print system)** as a response to the request received by the request receiving unit **(the status is always revised in the management table 1202 and in 1201 which is in client 201- please section 0076)** and

a transmitting unit **(Fig. 2 El. 231 or printer 231- thus after the print job has been deleted a response in the form of a status is sent back to the client)** configured to transmit information, **(the information is send in the form of a status)** that the print job has been canceled to the information processing system, the print job has been canceled in accordance with the request received by the receiving unit, **(Section 0053 – when there is a job deletion event, the job manager 225 is notified and eventually updated in the management table 1201 which is inside client 201).**

Matsueda does not disclose wherein the notification destination received by the receiving unit is different from the information processing system to which the responding unit transmits the response information or the error information.

Okada discloses wherein the notification destination **(Col. 13 lines 25-27- thus the email address is the destination where the result will be sent)** received by the receiving unit **(printing machine receives the print data and the print data includes the notification email address and therefore portion of the printing machine receives the email address)** is different from the information processing system **(Net**

Art Unit: 2625

fax 14 shown in fig. 3) to which the responding unit transmits the response information or the error information (**Col. 6 lines 64-67- thus if there is a transmission error the response is sent to the email address indicated in the notification E-mail address table shown in Fig. 19)** . Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Matsueda's receiving unit by the teaching of Okada to be able to receive notification destination which is different from the information processing system to which the responding unit transmits the response information or the error information so that user in different locations can also be alert of the reponse of the job request. The motivation for this modification is that it will enable users in different destinations to see the result of the print request.

Response to the Remarks filled by applicant

The response filled by the applicant on 12/11/2009 has been considered but was not persuasive.

Regarding claims 1 and 6 applicant argues that the cited reference fails to teach or discloses a receiving unit configured to receive, from an information processing system, the print job and a notification destination of information indicating completion of cancellation of the print job and wherein the notification destination received by the receiving unit is different from the information processing system to which the responding unit transmits the response information or the error information.

In reply, examiner respectively disagrees because Matsueda discloses clearly a receiving unit configured to receive, **(Section 0048, lines 1-3- portion of printer 231 that receives the print job)** from an information processing system,**(Section 0046- thus the print job is sent from client 201)** the print job **(Section 0048 lines 1-3 thus the print job is received)** and a notification destination of information indicating completion of cancellation of the print job. **(Section 0053- thus since the job deletion completion notification is sent to client 12-1 means that was the destination).**

Matsueda does not disclose wherein the notification destination received by the receiving unit is different from the information processing system to which the responding unit transmits the response information or the error information.

Okada discloses wherein the notification destination **(Col. 13 lines 25-27- thus the email address is the destination where the result will be sent)** received by the receiving unit **(printing machine receives the print data and the print data includes the notification email address and therefore portion of the printing machine receives the email address)** is different from the information processing system **(Net fax 14 shown in fig. 3)** to which the responding unit transmits the response information or the error information **(Col. 6 lines 64-67- thus if there is a transmission error the response is sent to the email address indicated in the notification E-mail address table shown in Fig. 19)** . Therefore it will be obvious to one ordinary skilled in the art at the time the invention was made to modify Matsueda's receiving unit by the teaching of Okada to be able to receive notification destination which is different from

Art Unit: 2625

the information processing system to which the responding unit transmits the response information or the error information so that user in different locations can also be alert of the response of the job request. The motivation for this modification is that it will enable users in different destinations to see the result of the print request.

Remaining claims 2-5 and 8-9 are also rejected because the argument filed for the independent claims 1 and 6 was not persuasive.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AKWASI M. SARPONG whose telephone number is (571)270-3438. The examiner can normally be reached on Monday-Friday 8:00am-5:00pm est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571-272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2625

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/King Y. Poon/
Supervisory Patent Examiner, Art Unit 2625

AMS
02/04/2010.